



SEQUENCE LISTING

Sirna Therapeutics, Inc.
McSwiggen, James
Pavco, Pamela
Beigelman, Leo

<120> RNA Interference Mediated Inhibition of Vascular Endothelial
Growth Factor and Vascular Endothelial Growth Factor Receptor
Gene Expression Using Short Interfering Nucleic Acid (siNA)

<130> 400/144 (MBHB02-742-O)

<140> US 10/764,957

<141> 2004-01-26

<150> US 10/670,011

<151> 2003-09-23

<150> US 10/665,255

<151> 2003-09-16

<150> PCT/US03/05022

<151> 2003-02-20

<150> US60/358,580

<151> 2002-02-20

<150> US60/363,124

<151> 2002-03-11

<150> US60/386,782

<151> 2002-06-06

<150> US60/393,796

<151> 2002-07-03

<150> US60/399,348

<151> 2002-07-29

<150> US60/406,784

<151> 2002-08-29

<150> US60/408,378

<151> 2002-09-05

<150> US60/409,293

<151> 2002-09-09

<150> US60/440,129

<151> 2003-01-15

<150> US10/306,747

<151> 2002-11-27

<150> US60/344,461

<151> 2001-11-30

<150> US10/287,949
 <151> 2002-11-04

 <150> PCT/US02/17674
 <151> 2002-05-29

 <160> 473

 <170> PatentIn version 3.3

 <210> 1
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 1
 gcggaggcuu ggggcagcc 19

 <210> 2
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 2
 cgguagcuc ggaggucgu 19

 <210> 3
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 3
 uggcgcuggg ggcuaagcac 19

 <210> 4
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 4

ccagcgcucu gucgggagg

19

<210> 5
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 5
gcgcagcggg uagguggac 19

<210> 6
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 6
ccggucagcg gacucaccg 19

<210> 7
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 7
ggccagggcg cucggugcu 19

<210> 8
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 8
uggaauuuga uauucauug 19

<210> 9
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 9
gauccggguu uuaucccuc 19

<210> 10
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 10
cuucuuuuuu cuuaaacau 19

<210> 11
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 11
uuuuuuuuua aaacuguau 19

<210> 12
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 12
uuguuucug uuuuaauuu 19

<210> 13
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 13
uaauuuugcu ugccaaucc 19

<210> 14

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 14
 cccacuugaa ucgggccga 19

 <210> 15
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 15
 acggcuuggg gagauugcu 19

 <210> 16
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 16
 ucuacuuccc caaaucaacu 19

 <210> 17
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 17
 uguggauuuu ggaaaccag 19

 <210> 18
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 18

gcagaaagag gaaagaggu 19

<210> 19
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 19
 uagcaagagc uccagagag 19

<210> 20
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 20
 gaagucgagg aagagagag 19

<210> 21
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 21
 gacgggguca gagagagcg 19

<210> 22
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 22
 gcgcgggcggu gcgagcagc 19

<210> 23
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 23
cgaaagcgac aggggcaaa 19

<210> 24
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 24
agugagugac cugcuuuug 19

<210> 25
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 25
gggggugacc gccggagcg 19

<210> 26
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 26
gcggcgugag cccuccccc 19

<210> 27
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 27
cuugggaucc cgcagcuga 19

<210> 28

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 28
 accagucgcg cugacggac 19

 <210> 29
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 29
 cagacagaca gacaccgcc 19

 <210> 30
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 30
 ccccagcccc agcuaccac 19

 <210> 31
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 31
 ccuccucccc ggccggcgg 19

 <210> 32
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 32

gcggacagug gacgcggcg 19

<210> 33
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 33
 ggcgagccgc gggcagggg 19

<210> 34
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 34
 gccggagccc gcgcccga 19

<210> 35
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 35
 aggcggggug gaggggguc 19

<210> 36
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 36
 cggggcucgc ggcgucgca 19

<210> 37
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 37
acugaaacuu uucguccaa 19

<210> 38
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 38
acuucugggc uguucucgc 19

<210> 39
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 39
cuucggagga gccgugguc 19

<210> 40
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 40
ccgcgcgggg gaagccgag 19

<210> 41
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 41
gccgagcgga gccgcgaga 19

<210> 42

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 42
 aagugcuagc ucgggccgg 19

 <210> 43
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 43
 ggaggagccg cagccggag 19

 <210> 44
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 44
 ggaggggggag gaggaagaa 19

 <210> 45
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 45
 agagaaggaa gaggagagg 19

 <210> 46
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 46

ggggccgcag uggcgacuc 19

<210> 47
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 47
 cggcgucucgg aagccgggc 19

<210> 48
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 48
 cucauggacg ggugaggcg 19

<210> 49
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 49
 ggcggugugc gcagacagu 19

<210> 50
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 50
 ugcuccagcc gcgcgcgc 19

<210> 51
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 51
 uccccaggcc cuggcccgg 19

 <210> 52
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 52
 ggccucgggc cggggagga 19

 <210> 53
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 53
 aagaguagcu cgccgaggc 19

 <210> 54
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 54
 cgccgaggag agcgggccg 19

 <210> 55
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 55
 gccccacagc ccgagccgg 19

 <210> 56

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 56
 gagagggagc gcgagccgc 19

 <210> 57
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 57
 cgccggcccc ggucgggccc 19

 <210> 58
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 58
 cuccgaaacc augaacuuu 19

 <210> 59
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 59
 ucugcugucu ugggugcau 19

 <210> 60
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 60

uuggagccuu gccuugcug 19

<210> 61
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 61
 gcucuaccuc caccaugcc 19

<210> 62
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 62
 caaguggucc caggcugca 19

<210> 63
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 63
 acccauggca gaaggagga 19

<210> 64
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 64
 agggcagaau caucacgaa 19

<210> 65
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region
 <400> 65
 aguggugaag uucauggau 19

<210> 66
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region
 <400> 66
 ugucuaucag cgcagcuac 19

<210> 67
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region
 <400> 67
 cugccaacca aucgagacc 19

<210> 68
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region
 <400> 68
 ccugguggac aucuuccag 19

<210> 69
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region
 <400> 69
 ggaguacccu gaugagauc 19

<210> 70

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 70
 cgaguacauc uucaagcca 19

 <210> 71
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 71
 auccugugug ccccugaug 19

 <210> 72
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 72
 gcgaugcggg ggcugcugc 19

 <210> 73
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 73
 caaugacgag ggccuggag 19

 <210> 74
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 74

gugugugccc acugaggag 19

<210> 75
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 75
 guccaacauc accaugcag 19

<210> 76
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 76
 gauuaugcgg aucaaaccu 19

<210> 77
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 77
 ucaccaaggc cagcacaua 19

<210> 78
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 78
 aggagagaug agcuuccua 19

<210> 79
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 79
 acagcacaac aaaugugaa 19

 <210> 80
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 80
 augcagacca aagaaagau 19

 <210> 81
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 81
 uagagcaaga caagaaaaa 19

 <210> 82
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 82
 aaaaucaguu cgaggaaag 19

 <210> 83
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 83
 gggaaagggg caaaaacga 19

 <210> 84

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 84
 aaagcgcaag aaaucccg 19

 <210> 85
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 85
 guauaagucc uggagcguu 19

 <210> 86
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 86
 ucccuguggg ccuugcuca 19

 <210> 87
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 87
 agagcggaga aagcauuug 19

 <210> 88
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 88

guuuguacaa gauccgcag 19

<210> 89
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 89
 gacguguaaaa uguuccugc 19

<210> 90
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 90
 caaaaacaca gacucgcgu 19

<210> 91
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 91
 uugcaaggcg aggcagcuu 19

<210> 92
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 92
 ugaguuaaac gaacguacu 19

<210> 93
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 93
 uugcagaugu gacaagccg 19

 <210> 94
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 94
 gaggcgguga gccgggcag 19

 <210> 95
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 95
 ggaggaagga gccucccuc 19

 <210> 96
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 96
 gagccucccu caggguuuc 19

 <210> 97
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 97
 ggcugcccca agccuccgc 19

 <210> 98

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 98
 acgaccuccg agcuaccg 19

 <210> 99
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 99
 gugcuagccc ccagcgcca 19

 <210> 100
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 100
 ccucccgaca gagcgugg 19

 <210> 101
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 101
 guccaccuaa ccgcugcgc 19

 <210> 102
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 102

cgugagucc gcugaccgg 19

<210> 103
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 103
agcaccgagc gccucggcc 19

<210> 104
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 104
caaugaauau caaaaucca 19

<210> 105
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 105
gagggaauaaa acccggauc 19

<210> 106
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 106
auguuuaaga aaaaagaag 19

<210> 107
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 107
 auacaguuuu aaaaaaaaaa 19

 <210> 108
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 108
 aaauuaaaac gagaaacaa 19

 <210> 109
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 109
 ggaauggcaa gcaaaaaua 19

 <210> 110
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 110
 ucggcccgau ucaaguggg 19

 <210> 111
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 111
 agcaaucucc ccaagccgu 19

 <210> 112

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 112
 agugauuugg ggaaguaga 19

 <210> 113
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 113
 cugguuucca aaauccaca 19

 <210> 114
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 114
 accucuuucc ucuuucugc 19

 <210> 115
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 115
 cucucuggag cucuugcua 19

 <210> 116
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 116

cucucucuuc cugacuuc 19

<210> 117
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 117
cgucucucu gaccccguc 19

<210> 118
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 118
gcugcucgca cgcccgcgc 19

<210> 119
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 119
uuugccccug ucgcuuucg 19

<210> 120
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 120
caaaagcagg ucacucacu 19

<210> 121
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 121
 cgcuccggcg gucaccccc 19

 <210> 122
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 122
 gggggagggc ucacgccgc 19

 <210> 123
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 123
 ucagcugcgg gaucCCAAG 19

 <210> 124
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 124
 guccgucagc gcgacuggu 19

 <210> 125
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 125
 ggcggugucu gucugucug 19

 <210> 126

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 126
 gugguagcug gggcugggg 19

 <210> 127
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 127
 ccgccggccg gggaggagg 19

 <210> 128
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 128
 cgccgcgucc acuguccgc 19

 <210> 129
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 129
 cccugcccg cggcucgcc 19

 <210> 130
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 130

uccggggcgcg ggcuccggc 19

<210> 131
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 131
gacccccucc accccgccu 19

<210> 132
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 132
ugcgacgccg cgagccccg 19

<210> 133
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 133
uuggacgaaa aguuucagu 19

<210> 134
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 134
gcgagaacag cccagaagu 19

<210> 135
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 135
 gaccacggcu ccuccgaag 19

 <210> 136
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 136
 cucggcuucc cccgcgcgg 19

 <210> 137
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 137
 ucucgcggcu ccgcucggc 19

 <210> 138
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 138
 ccggcccgcg cuagcacuu 19

 <210> 139
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 139
 cuccggcugc ggcuccucc 19

 <210> 140

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 140
 uucuuccucc uccccucc 19

 <210> 141
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 141
 ccucuccucu uccuucucu 19

 <210> 142
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 142
 gagucgccac ugcggcccc 19

 <210> 143
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 143
 gcccgguuc cgagcgccg 19

 <210> 144
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 144

cgccucaccc guccaugag 19

<210> 145
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 145
acugucugcg cacaccgcc 19

<210> 146
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 146
agcgcgcgcg gcuggagca 19

<210> 147
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 147
ccggggccagg gccugggga 19

<210> 148
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 148
uccuccccgg cccgaggcc 19

<210> 149
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 149
 gccucggcga gcuacucuu 19

 <210> 150
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 150
 cggcccgcuc uccucggcg 19

 <210> 151
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 151
 ccggcucggg cuguggggc 19

 <210> 152
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 152
 gcggcucgcg cucccucuc 19

 <210> 153
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 153
 ggcccgaccg gggccggcg 19

 <210> 154

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 154
 aaaguucaug guuucggag 19

 <210> 155
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 155
 augcacccaa gacagcaga 19

 <210> 156
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 156
 cagcaaggca aggcuccaa 19

 <210> 157
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 157
 ggcauggugg agguagagc 19

 <210> 158
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 158

ugcagccugg gaccacuug 19

<210> 159
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 159
uccuccuucu gccaugggg 19

<210> 160
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 160
uucgugauga uucugcccu 19

<210> 161
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 161
auccaugaac uucaccacu 19

<210> 162
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 162
guagcugcgc ugauagaca 19

<210> 163
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 163
 ggucucgauu ggauggcag 19

 <210> 164
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 164
 cuggaagaug uccaccagg 19

 <210> 165
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 165
 gaucucauca ggguacucc 19

 <210> 166
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 166
 uggcuugaag auguacucg 19

 <210> 167
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 167
 caucaggggc acacaggau 19

 <210> 168

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 168
 gcagcagccc ccgcaucgc 19

 <210> 169
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 169
 cuccaggccc ucgucauug 19

 <210> 170
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 170
 cuccucagug ggcacacac 19

 <210> 171
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 171
 cugcauggug auguuggac 19

 <210> 172
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 172

agguuugauc cgcauaauc 19

<210> 173
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 173
uaugugcugg ccuugguga 19

<210> 174
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 174
uaggaagcuc aucucuccu 19

<210> 175
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 175
uucacauuug uugugcugu 19

<210> 176
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 176
aucuuucuuu ggucugcau 19

<210> 177
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 177
 uuuuucuugu cuugcucua 19

 <210> 178
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 178
 cuuuccucga acugauuuu 19

 <210> 179
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 179
 ucguuuuugc cccuuuccc 19

 <210> 180
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 180
 ccgggauuuc uugcgcuuu 19

 <210> 181
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 181
 aacgcuccag gacuuauac 19

 <210> 182

<211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 182
 ugagcaaggc ccacaggga 19

 <210> 183
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 183
 caaaugcuuu cuccgcucu 19

 <210> 184
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 184
 cugcggau cuuguacaaac 19

 <210> 185
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 185
 gcaggaacau uuacacguc 19

 <210> 186
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 186

acgcgagucu guguuuuug 19

<210> 187
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 187
aagcugccuc gccuugcaa 19

<210> 188
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 188
aguacguucg uuuaacuca 19

<210> 189
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 189
cggcuuguca caucugcaa 19

<210> 190
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<400> 190
cugcccggcu caccgccuc 19

<210> 191
<211> 19
<212> RNA
<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 191
 gagggaggcu ccuuccucc 19

 <210> 192
 <211> 19
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <400> 192
 gaaaccuga gggaggcuc 19

 <210> 193
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 193
 gcaagagcuc cagagagaag ucg 23

 <210> 194
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 194
 caaagugagu gaccugcuu ugg 23

 <210> 195
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 195
 acgaaguggu gaagucaug gau 23

 <210> 196

<211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 196
 aguccaacauc caccaugcag auu 23

 <210> 197
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 197
 agaccucggu ggacaucuu cag 23

 <210> 198
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 198
 gguggacauc uuccaggagu acc 23

 <210> 199
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 199
 guggacauc uccaggagua ccc 23

 <210> 200
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 200

ggacauuc caggaguacc cug 23

<210> 201
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 201
 uaugcggauc aaaccucacc aag 23

<210> 202
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 202
 aaaugugaau gcagaccaa gaa 23

<210> 203
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 203
 aaugugaug cagaccaaag aaa 23

<210> 204
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 204
 augugaugc agaccaaaga aag 23

<210> 205
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 205
 gugaaugcag accaaagaaa gau 23

 <210> 206
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 206
 cagacgugua aauguuccug caa 23

 <210> 207
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 207
 cguguaaaug uuccugcaaa aac 23

 <210> 208
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 208
 guguaaaugu uccugcaaaa aca 23

 <210> 209
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 209
 uguaaauguu ccugcaaaaa cac 23

 <210> 210

<211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 210
 guaaauguuc cugcaaaaac aca 23

 <210> 211
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 211
 cugcaaaaac acagacucgc guu 23

 <210> 212
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 212
 gcagcuugag uuaaacgaac gua 23

 <210> 213
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 213
 cgaacguacu ugcagaugug aca 23

 <210> 214
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 214

cguacuugca gaugugacaa gcc 23

<210> 215
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 215
 gagaccugg uggacauuu cca 23

<210> 216
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 216
 gaccuggug gacauuuu agg 23

<210> 217
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 217
 ucagagcgga gaaagcauuu guu 23

<210> 218
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 218
 auccgcagac guguaaaugu ucc 23

<210> 219
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 219
 ccgcagacgu guaaauguuc cug 23

<210> 220
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 220
 cgacagacgug uaaauguucc ugc 23

<210> 221
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 221
 gacguguaaaa uguuccugca aaa 23

<210> 222
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 222
 uaaauguucc ugcaaaaaca cag 23

<210> 223
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 223
 aaauguuccu gcaaaaacac aga 23

<210> 224

<211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 224
 uccugcaaaa acacagacuc gcg 23

 <210> 225
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 225
 ccugcaaaaa cacagacucg cg 23

 <210> 226
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 226
 aggcgaggca gcuugaguua aac 23

 <210> 227
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 227
 cgaggcagcu ugaguuaaac gaa 23

 <210> 228
 <211> 23
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

 <400> 228

gaggcagcuu gaguuaaacg aac 23

<210> 229
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 229
 aggcagcuug aguuaaacga acg 23

<210> 230
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 230
 ggcagcuuga guuaaacgaa cgu 23

<210> 231
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 231
 uaaacgaacg uacuugcaga ugu 23

<210> 232
 <211> 23
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target Sequence/siNA sense region

<400> 232
 aaacgaacgu acuugcagau gug 23

<210> 233
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 233
 aagagcucca gagagaagun n 21

<210> 234
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 234
 aagugaguga ccugcuuuun n 21

<210> 235
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 235
 gaagugguga aguucauggn n 21

<210> 236
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 236
 uccaacauca ccaugcagan n 21

<210> 237
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 237
 acuucucucu ggagcucuun n 21

<210> 238
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 238
 aaaagcaggu cacucacuun n 21

<210> 239
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 239
 ccaugaacuu caccacuucn n 21

<210> 240
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 240
 ucugcauggu gauguuggan n 21

<210> 241
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moeity

 <220>
 <221> misc_feature
 <222> (6)..(9)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (19)..(19)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

<400> 241
 aagagcucca gagagaagun n

21

<210> 242
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (11)..(13)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (15)..(19)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

<400> 242
 aagugaguga ccugcuuuun n

21

<210> 243
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 243
gaagugguga aguucauggn n

21

<210> 244
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

```

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (11)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 244
uccaacauga ccaugcagan n

```

21

```

<210> 245
<211> 21
<212> RNA
<213> Artificial Sequence

```

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (2)..(10)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 245
acuucucucu ggagcucuun n

21

<210> 246
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 246
 aaaagcaggu cacucacuun n

21

<210> 247
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (8)..(11)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (13)..(14)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (16)..(19)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature

<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 247
ccaugaacuu caccacuucn n

21

<210> 248
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (13)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 248
ucugcauggu gauguuggan n

21

<210> 249
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (6)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(18)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 249
aagagcucca gagagaagun n

21

<210> 250
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (5)..(7)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(10)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (11)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (15)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>

<221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

<400> 250
 aagugaguga ccugcuuuun n

21

<210> 251
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (6)..(7)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (9)..(12)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (13)..(15)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> 2'-deoxy

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 251
gaagugguga aguucauggn n

21

<210> 252
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (4)..(5)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature

```

<222> (7)..(7)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (8)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (11)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (13)..(13)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 252
uccaacaucac ccaugcagan n

```

<210> 253
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (2)..(10)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (11)..(13)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (15)..(19)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 253
 acuucucucu ggagcucuun n

21

<210> 254
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (1)..(5)

```

<223> 2'-deoxy

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (10)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 254
aaaagcaggu cacucacuun n

<210> 255
<211> 21
<212> RNA
<213> Artificial Sequence

```

21

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (5)..(7)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (8)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (13)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (16)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature

<222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

 <400> 255
 ccaugaacuu caccacuucn n

21

<210> 256
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (7)..(7)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (8)..(9)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (11)..(12)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (13)..(13)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (14)..(14)
 <223> 2'-deoxy

 <220>
 <221> misc_feature
 <222> (15)..(16)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (17)..(19)
 <223> 2'-deoxy

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 256
 ucugcauggu gauguuggan n

21

<210> 257
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (6)..(9)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (10)..(18)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (19)..(19)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 257

aagagcucca gagagaagun n

21

<210> 258

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(3)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (4)..(4)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (5)..(7)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (8)..(8)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (9)..(10)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (11)..(13)

<223> 2'-deoxy-2'-fluoro

<220>

```

<221> misc_feature
<222> (14)..(14)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (15)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 258
aagugaguga ccugcuuuun n
21

<210> 259
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (6)..(7)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(12)
<223> 2'-O-methyl

```

<220>
 <221> misc_feature
 <222> (13)..(15)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 259
 gaagugguga aguucauggn n

21

<210> 260
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (4)..(5)
 <223> 2'-O-methyl

<220>
 <221> misc_feature

```

<222> (6)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (8)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (11)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (13)..(13)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)

```

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 260

uccaacauca ccaugcagan n

21

<210> 261

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (2)..(10)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (11)..(14)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (15)..(19)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 261

acuucucucu ggagcucuun n

21

<210> 262

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

```

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (10)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 262
aaaagcaggu cacucacuun n

```


<210> 263
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (1)..(2)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (3)..(3)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (5)..(7)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (8)..(11)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (12)..(12)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (13)..(14)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (15)..(15)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (16)..(19)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature

<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 263
ccaugaacuu caccacuucn n

21

<210> 264
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(3)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (5)..(5)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (7)..(7)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (8)..(9)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (10)..(10)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (11)..(12)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (13)..(13)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (15)..(16)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (15)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 264
ucugcauggu gauguuggan n

21

<210> 265
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moiety

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 265

aagagcucca gagagaagun n

21

<210> 266

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moiety

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 266

aagugaguga ccugcuuuun n

21

<210> 267

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moiety

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 267

gaagugguga aguucauggn n

21

<210> 268

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moiety

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 268

uccaacaUCA ccaugcagan n

21

<210> 269

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 269

acuucucucu ggagcucuun n

21

<210> 270

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 270

aaaagcaggu cacucacuun n

21

<210> 271

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 271

ccaugaacuu caccacuun n

21

<210> 272
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

 <400> 272
 ucugcauggu gauguuggan n 21

 <210> 273
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 273
 acccuggugg acaucuuccn n 21

 <210> 274
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 274
 uggacauuu ccaggaguan n 21

<210> 275
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 275
 ggacauuuc caggaguacn n 21

<210> 276
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 276
 acaucuucca ggaguacccn n 21

<210> 277
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 277
 ugcggaucaa accucaccan n 21


```

<210> 278
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 278
augugaaugc agaccaaagn n
21

<210> 279
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 279
ugugaaugca gaccaaagan n
21

<210> 280
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 280
gugaaugcag accaaagaan n
21

```

<210> 281
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 281
 gaaugcagac caaagaaagn n 21

 <210> 282
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 282
 gacguguaaaa uguuccugcn n 21

 <210> 283
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 283
 uguaaaauguu ccugcaaaan n 21

 <210> 284
 <211> 21

<212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 284
 guaaauguuc cugcaaaaan n 21

 <210> 285
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 285
 uaaauguucc ugcaaaaacn n 21

 <210> 286
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 286
 aaauguuccu gcaaaaacan n 21

 <210> 287
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 287
gcaaaaaacac agacucgcgn n

21

<210> 288
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 288
agcuugaguu aaacgaacgn n

21

<210> 289
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 289
aacguacuug cagaugugan n

21

<210> 290
<211> 21
<212> RNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 290

uacuugcaga ugugacaagn n

21

<210> 291

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 291

ggaagauguc caccagggun n

21

<210> 292

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 292

uacuccugga agauguccan n

21

<210> 293

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 293
 guacuccugg aagauguccn n 21

<210> 294
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 294
 ggguacuccu ggaägaugun n 21

<210> 295
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 295
 uggugagguu ugauccgcan n 21

<210> 296
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 296
 cuuuggucug cauucacaun n 21

 <210> 297
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 297
 ucuuuggucu gc auucacan n 21

 <210> 298
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 298
 uucuuugguc ugcauucacn n 21

 <210> 299
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)

<223> n stands for thymidine

<400> 299

cuuucuugg ucugcauucn n

21

<210> 300

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 300

gcaggaacau uuacacgucn n

21

<210> 301

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 301

uuuugcagga acauuuacan n

21

<210> 302

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 302
 uuuuugcagg aacauuuacn n 21

<210> 303
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 303
 guuuuugcag gaacauuuan n 21

<210> 304
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 304
 uguuuuugca ggaacauuun n 21

<210> 305
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 305
 cgcgagucug uguuuuugcn n 21

<210> 306
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 306
cguucguuuu acucaagcun n 21

<210> 307
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 307
ucacaucugc aaguacguun n 21

<210> 308
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 308
cuugucacau cugcaaguan n 21

<210> 309
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 309
 gaccucggug gacauucu n 21

 <210> 310
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 310
 ccucgguga caucuucc n 21

 <210> 311
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 311
 agagcggaga aagcauuugn n 21

 <210> 312
 <211> 21

<212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 312
 ccgcagacgu guaaauguun n 21

 <210> 313
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 313
 gcagacgugu aaauuguccn n 21

 <210> 314
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 314
 cagacgugua aauguuccun n 21

 <210> 315
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 315
cguguaaaug uuccugcaan n

21

<210> 316
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 316
aauguuccug caaaaacacn n

21

<210> 317
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 317
auguuccugc aaaaacacan n

21

<210> 318
<211> 21
<212> RNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 318

cugcaaaaac acagacucgn n

21

<210> 319

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 319

ugcaaaaaca cagacucgn n

21

<210> 320

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 320

gcgaggcagc uugaguuaan n

21

<210> 321

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 321
aggcagcuug aguuaaacgn n

21

<210> 322
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 322
ggcagcuuga guuaaacgan n

21

<210> 323
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 323
gcagcuugag uuaaacgaan n

21

<210> 324
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 324
 cagcuugagu uaaacgaacn n 21

<210> 325
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 325
 aacgaacgua cuugcagaun n 21

<210> 326
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 326
 acgaacguac uugcagaugn n 21

<210> 327
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)

<223> n stands for thymidine

<400> 327

gaagaugucc accagggucn n

21

<210> 328

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 328

uggaagaugu ccaccaggn n

21

<210> 329

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 329

caaaugcuuu cuccgcucun n

21

<210> 330

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 330
 aacauuuaca cgucugcggn n 21

<210> 331
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 331
 ggaacauuua cagcugcgn n 21

<210> 332
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 332
 aggaacauuu acacgucugn n 21

<210> 333
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 333
 uugcaggaac auuuacacgn n 21

<210> 334
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 334
guguuuuugc aggaacauun n 21

<210> 335
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 335
uguguuuuug caggaacaun n 21

<210> 336
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 336
cgagucugug uuuuugcagn n 21

```

<210> 337
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 337
gcgagucugu guuuuugcan n 21

<210> 338
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 338
uuaacucaag cugccucgcn n 21

<210> 339
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 339
cguuuaacuc aagcugccun n 21

<210> 340
<211> 21

```

<212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 340
 ucguuuuacu caagcugccn n 21

 <210> 341
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 341
 uucguuuuac ucaagcugcn n 21

 <210> 342
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 342
 guucguuuuaa cucaagcugn n 21

 <210> 343
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 343
aucugcaagu acguucguun n 21

<210> 344
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 344
caucugcaag uacguucgun n 21

<210> 345
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(6)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (7)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (12)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (17)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 345
ugcggaucac accucaccan n

21

<210> 346
<211> 21

<212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-deoxy

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

 <220>
 <221> misc_feature
 <222> (2)..(2)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (3)..(3)
 <223> 2'-deoxy -

 <220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (5)..(7)
 <223> 2'-deoxy

 <220>
 <221> misc_feature
 <222> (8)..(8)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (9)..(9)
 <223> 2'-deoxy

 <220>
 <221> misc_feature
 <222> (10)..(10)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (11)..(13)
 <223> 2'-deoxy

<220>
<221> misc_feature
<222> (14)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 346
augugaagc agaccaaagn n

21

<210> 347
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(5)
<223> 2'-deoxy

<220>
<221> misc_feature

<222> (6)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (12)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 347
gugaaugcag accaaagaan n

21

<210> 348
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (4)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (11)..(15)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy

<220>

<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 348
auguuccugc aaaaacacan n

21

<210> 349
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (2)..(3)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (4)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (10)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (16)..(18)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 5'-3 attached terminal deoxyabasic moiety

<400> 349
 cagcuugagu uaaacgaacn n

21

<210> 350
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (2)..(3)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature

<222> (5)..(8)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (9)..(11)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (12)..(13)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (14)..(16)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 350
 uggugagguu ugauccgcan n

21

<210> 351
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

```

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (5)..(6)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>

```

<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 351
cuuuggucug caucacaun n

21

<210> 352
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(8)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (13)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 352
uucuuugguc ugcauucacn n

21

<210> 353
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-O-methyl

<220>
<221> misc_feature

<222> (5)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(16)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 353
uguguuuuug caggaacaun n

21

<210> 354
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (2)..(4)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (6)..(8)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (9)..(10)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (11)..(13)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (17)..(18)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 354
 guucguuuaa cucaagcugn n

21

<210> 355
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moeity

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moeity

<400> 355
 ugcggaucac accucaccan n

21

<210> 356
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moeity

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moeity

<400> 356
 augugaaugc agaccaaagn n

21

<210> 357
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

<400> 357
 gugaaugcag accaaagaan n

21

<210> 358
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

<400> 358
 auguuccugc aaaaacacan n

21

<210> 359
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moeity

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moeity

<400> 359
 cagcuugagu uaaacgaacn n

21

<210> 360
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 360
 uggugagguu ugauccgcan n

21

<210> 361
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 361

cuuuggucug caucacaun n

21

<210> 362

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220> -

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 362

uucuuugguc ugcaucacn n

21

<210> 363

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 363

uguguuuuug caggaacaun n

21

<210> 364
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 364
guucguuuuaa cucaagcugn n

21

<210> 365
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (2)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (5)..(8)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (9)..(11)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (12)..(13)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (14)..(16)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (17)..(17)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (18)..(18)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (19)..(19)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 365

accacuccaa acuaggcgun n

21

<210> 366

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

```

<221> misc_feature
<222> (1)..(4)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (5)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature

```

<222> (19)..(19)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 366

gaaaccagac guaaguguan n

21

<210> 367

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(6)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moiety

<220>

<221> misc_feature

<222> (7)..(8)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (9)..(11)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (12)..(12)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (13)..(13)

<223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (14)..(14)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (15)..(17)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

<400> 367
 aagaaaccag acguaagugn n

21

<210> 368
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (2)..(2)

```

<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (5)..(9)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (12)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

```

<400> 368
acacaaaaaac guccuuguan n

21

<210> 369
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (2)..(4)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (6)..(8)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (9)..(10)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (11)..(12)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature

```

<222> (16)..(18)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 369
caagcaaaau gaguucgacn n
21

<210> 370
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (4)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(8)
<223> 2'-O-methyl

```

<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(15)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(18)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 370
acgccuaguu uggaguggun n

21

<210> 371
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (2)..(2)


```

<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (5)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (11)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(15)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (16)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (20)..(20)
<223> n stands for thymidine

```

<400> 371
uacacuuacg ucugguuucn n

21

<210> 372
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (3)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(13)
<223> 2'-O-methyl

<220>
<221> misc_feature

<222> (14)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 372
cacuuacguc ugguuucuun n

21

<210> 373
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(8)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (11)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 373
uacaaggacg uuuuugugun n

21

<210> 374
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (2)..(3)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (4)..(6)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (7)..(9)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (10)..(11)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (12)..(14)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (16)..(18)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (19)..(19)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 374

gucgaacuca auuugcuugn n

21

<210> 375

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 375
accacuccaa acuaggcgun n

21

<210> 376
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 376
gaaaccagac guaaguguan n

21

<210> 377
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 377
aagaaaccag acguaagugn n

21

<210> 378
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 378
acacaaaaac guccuuguan n

21

<210> 379
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 379
caagcaaaau gaguucgacn n

21

<210> 380
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 380
acgccuaguu uggaguggun n

21

<210> 381
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>

<221> misc_feature
<222> (20)..(20)
<223> n stands for thymidine

<400> 381
uacacuuacg ucugguuucn n

21

<210> 382
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 382
cacuuacguc ugguuucun n

21

<210> 383
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 383
uacaaggacg uuuuugugun n

21

<210> 384
<211> 21

<212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

 <400> 384
 gucgacuca auuugcuugn n 21

 <210> 385
 <211> 12
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

 <400> 385
 cuccuccccg gc 12

 <210> 386
 <211> 12
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

 <400> 386
 ggagccgcga ga 12

 <210> 387
 <211> 12
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

<400> 387
 ggccggcggc gg 12

<210> 388
 <211> 10
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

<400> 388
 gcggcgggcga 10

<210> 389
 <211> 11
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

<400> 389
 uaccugaug a 11

<210> 390
 <211> 10
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

<400> 390
 ggcuagcacc 10

<210> 391
 <211> 10
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

<400> 391
 agaggggggcc 10

<210> 392
 <211> 12
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

 <400> 392
 agcagcgaaa gc 12

 <210> 393
 <211> 11
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

 <400> 393
 aggaagagga g 11

 <210> 394
 <211> 10
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

 <400> 394
 ccaggaguac 10

 <210> 395
 <211> 10
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

 <400> 395
 ccgccccag 10

 <210> 396
 <211> 10
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

<400> 396
 gugggccuug 10

<210> 397
 <211> 10
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

<400> 397
 gugggccuug 10

<210> 398
 <211> 10
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

<400> 398
 cuuggggaga 10

<210> 399
 <211> 10
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: VEGF/VEGFR1 Homologous Target Sequence

<400> 399
 ccucuucuuu 10

<210> 400
 <211> 10
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 400
aagugaguga 10

<210> 401
<211> 11
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 401
ggaggaagag u 11

<210> 402
<211> 11
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 402
acaaauguga a 11

<210> 403
<211> 10
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 403
gcccacugag 10

<210> 404
<211> 10
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 404
gccuugcuca 10

<210> 405
<211> 10
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 405
gaggaaggag 10

<210> 406
<211> 10
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 406
uuuggaaacc 10

<210> 407
<211> 11
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 407
ggaggaggaa g 11

<210> 408
<211> 10
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 408
cggacagugg 10

<210> 409
<211> 10
<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: VEGF/VEGFR2 Homologous Target Sequence

<400> 409

ucccaggcug

10

<210> 410

<211> 23

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Target Sequence

<400> 410

aaaccucacc aaggccagca cau

23

<210> 411

<211> 22

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (1)..(3)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'Amino Mod C3-TFA attached moiety

<220>

<221> misc_feature

<222> (4)..(4)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (5)..(5)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (6)..(11)

<223> 2'-deoxy-2'-fluoro


```

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(19)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (21)..(22)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 411
ngggugccuu uaaaacucag nn
22

<210> 412
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 412
uggacauuu ccaggaguan n
21

```

<210> 413
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 413
ggacauuc caggaguacn n

21

<210> 414
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 414
ugugaugca gaccaaagan n

21

<210> 415
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 415
gaaugcagac caaagaaagn n

21

<210> 416
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 416
uacuccugga agauguccan n

21

<210> 417
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 417
guacuccugg aagauguccn n 21

<210> 418
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 418
ucuuuggucu gcauucacan n 21

<210> 419
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 419
 cuuucuuugg ucugcauucn n

21

<210> 420
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (2)..(4)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (6)..(6)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (7)..(12)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (13)..(17)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (18)..(18)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (19)..(19)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 420

uggacauuu ccaggaguan n

21

<210> 421

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(3)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moiety

<220>

<221> misc_feature

<222> (4)..(4)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (5)..(5)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (6)..(11)

<223> 2'-deoxy-2'-fluoro

<220>

```

<221> misc_feature
<222> (12)..(16)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

```

```

<400> 421
ggacauuc caggaguacn n

```

21

```

<210> 422
<211> 21
<212> RNA
<213> Artificial Sequence

```

```

<220>
<223> Description of Artificial Sequence: siNA sense region

```

```

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

```

```

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

```

```

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy

```

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(6)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(12)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (13)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 422
ugugaaugca gaccaaagan n

21

<210> 423


```

<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (10)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)

```

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 423

gaaugcagac caaagaaagn n

21

<210> 424

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (2)..(2)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (3)..(7)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (8)..(13)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (14)..(14)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (15)..(15)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (16)..(18)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (19)..(19)

<223> 2'-O-methyl

<220>

<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 424
uacuccugga agauguccan n

21

<210> 425
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (4)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(14)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 425
guacuccugg aagauguccn n

21

<210> 426
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (6)..(7)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (8)..(10)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature

```

<222> (13)..(13)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (14)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 426
ucuuuggucu gcauucacan n
21

<210> 427
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(10)
<223> 2'-O-methyl

```

<220>
 <221> misc_feature
 <222> (11)..(13)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (14)..(14)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (17)..(19)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 427
 cuuucuuugg ucugcauucn n

21

<210> 428
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 428

augaggaccu ucuacaggun n

21

<210> 429

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moiety

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 429

caugaggacc uucuacaggn n

21

<210> 430

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moiety

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moeity

<400> 430

agaaaccaga cguaagugun n

21

<210> 431

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moeity

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moeity

<400> 431

gaaagaaacc agacguaagn n

21

<210> 432

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (20)..(20)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 432
accuguagaa gguccucaun n 21

<210> 433
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 433
ccuguagaag guccucaugn n 21

<210> 434
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 434
acacuuacgu cugguuucun n 21

<210> 435
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 435
cuuacgucug guuucuuucn n

21

<210> 436
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(7)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (8)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(14)

```

<223> 2'-deoxy

<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(18)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 436
augaggaccu ucuacaggun n

<210> 437
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy

<220>

```

<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(8)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (9)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 437
caugaggacc uucuacaggn n

21

<210> 438
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (6)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(10)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (13)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(16)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

<400> 438
 agaaaccaga cguaagugun n

21

<210> 439
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(8)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (9)..(10)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (11)..(13)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (14)..(14)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (17)..(19)

<223> 2'-deoxy

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<220>

<221> misc_feature

<222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 439

gaaagaaacc agacguaagn n

21

<210> 440

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (2)..(4)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (5)..(5)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (6)..(6)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (7)..(12)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (13)..(17)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature
<222> (18)..(18)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 440
accuguagaa gguccucaun n

21

<210> 441
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (6)..(11)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (12)..(16)
<223> 2'-deoxy-2'-fluoro


```

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 441
ccuguagaag guccucaugn n
21

<210> 442
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-O-methyl

<220>
<221> misc_feature

```

<222> (4)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (10)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (13)..(14)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (15)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 442
acacuuacgu cugguuucun n

21

<210> 443
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (6)..(6)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (7)..(9)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (10)..(11)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (12)..(19)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<400> 443
 cuuacgucug guuucuuucn n

21

<210> 444
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 444
 accucaccaa ggccagcacn n

21

<210> 445
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 445
 gugcuggccu uggugaggun n

21

<210> 446
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (2)..(5)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (6)..(6)

```

<223> 2'-deoxy

<220>
<221> misc_feature
<222> (7)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(12)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (13)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(16)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (19)..(19),
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 446
accucaccaa ggccagcacn n

<210> 447
<211> 21
<212> RNA
<213> Artificial Sequence

```

21

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (4)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (6)..(7)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (8)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(13)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(18)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature

<222> (20)..(21)
<223> n stands for thymidine

<400> 447
gugcuggccu uggugaggun n

21

<210> 448
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 448
accucaccaa ggccagcacn n

21

<210> 449
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 449
gugcuggccu uggugaggun n

21

<210> 450
<211> 21
<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 450

cacgaccgga accacuccan n

21

<210> 451

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (20)..(21)

<223> n stands for thymidine

<400> 451

uggagugguu ccggucgugn n

21

<210> 452

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature

<222> (1)..(1)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (1)..(1)

<223> 5'-3 attached terminal deoxyabasic moiety

<220>

<221> misc_feature

<222> (2)..(2)

<223> 2'-deoxy

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(5)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (6)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(11)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (12)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (15)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 452
cacgaccgga accacuccan n

21

<210> 453

<211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (2)..(5)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (6)..(6)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (7)..(8)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (9)..(12)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (13)..(14)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (15)..(16)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (17)..(17)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (18)..(18)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (19)..(19)

<223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 453
 uggagugguu ccggucgugn n 21

 <210> 454
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

 <400> 454
 cacgaccgga accacuccan n 21

 <210> 455
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <400> 455
 uggagugguu ccggucgugn n 21

<210> 456
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for any nucleotide

<400> 456
nnnnnnnnnnn nnnnnnnnnnn n

21

<210> 457
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal glyceryl moiety

<400> 457
nnnnnnnnnnn nnnnnnnnnnn n

21

```

<210> 458
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(19)
<223> n stands for any nucleotide wherein any pyrimidine nucleotide present is
2'-Fluoro
and any purine nucleotide present is 2'-O-methyl

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for any nucleotide

<400> 458
nnnnnnnnnn nnnnnnnnnn n

<210> 459
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(19)
<223> n stands for any nucleotide wherein any pyrimidine nucleotide present is
2'-Fluoro
and any purine nucleotide present is 2'-O-methyl

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for any nucleotide

<220>
<221> misc_feature

```

21

<222> (21)..(21)
 <223> 3'-3 attached terminal glyceryl moiety

 <400> 459
 nnnnnnnnnnn nnnnnnnnnnn n 21

 <210> 460
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (1)..(19)
 <223> n stands for any nucleotide wherein any pyrimidine nucleotide present is
 2'-O-methyl or 2'-Fluoro

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for any nucleotide

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

 <220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

 <400> 460
 nnnnnnnnnnn nnnnnnnnnnn n 21

 <210> 461
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (1)..(19)
 <223> n stands for any nucleotide wherein any pyrimidine nucleotide present is
 2'-Fluoro

 <220>
 <221> misc_feature

<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal glyceryl moiety

<400> 461
nnnnnnnnnn nnnnnnnnnn n

21

<210> 462
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(19)
<223> n stands for any nucleotide wherein any pyrimidine nucleotide present is 2'-Fluoro
and any purine nucleotide present is 2'-Deoxy

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 462
nnnnnnnnnn nnnnnnnnnn n

21

<210> 463
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (1)..(19)
 <223> n stands for any nucleotide wherein any pyrimidine nucleotide present is 2'-Fluoro

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for any nucleotide

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

 <220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

 <400> 463
 nnnnnnnnnnn nnnnnnnnnnn n

 <210> 464
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA antisense region

 <220>
 <221> misc_feature
 <222> (1)..(19)
 <223> n stands for any nucleotide wherein any pyrimidine nucleotide present is 2'-Fluoro
 and any purine nucleotide present is 2'-Deoxy

 <220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for any nucleotide

 <220>

21

<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal glyceryl moiety

<400> 464
nnnnnnnnnnn nnnnnnnnnnn n

21

<210> 465
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 465
ugucuaucag cgcagcuacn n

21

<210> 466
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<220>
<221> misc_feature

<222> (21)..(21)
<223> 3'-3 attached terminal glyceryl moiety

<400> 466
guagcugcgc ugauagacan n

21

<210> 467
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (3)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (7)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(10)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-O-Methyl

<220>

<221> misc_feature
<222> (13)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(15)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (16)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 467
ugucuaucag cgcagcuacn n

21

<210> 468
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

```

<220>
<221> misc_feature
<222> (3)..(4)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (5)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (10)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(13)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-O-methyl

<220>

```

<221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal glyceryl moiety

<400> 468
 guagcugcgc ugauagacan n

21

<210> 469
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-O-Methyl or 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-O-Methyl or 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (7)..(8)
 <223> 2'-O-Methyl or 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (11)..(13)
 <223> 2'-O-Methyl or 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (16)..(17)
 <223> 2'-O-Methyl or 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> 2'-O-Methyl or 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal deoxyabasic moiety

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<400> 469
 ugucuaucag cgcagcuacn n

21

<210> 470
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA antisense region

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (5)..(6)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (10)..(11)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (14)..(14)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Phosphorothioate 3'-Internucleotide Linkage

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 3'-3 attached terminal glyceryl moiety

<400> 470
 guagcugcgc ugauagacan n

21

<210> 471
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: siNA sense region

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-deoxy-2'-fluoro

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (6)..(6)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (9)..(10)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> 2'-deoxy

<220>
 <221> misc_feature
 <222> (14)..(15)

```

<223> 2'-deoxy

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (3)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (13)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 471
ugucuaucag cgcagcuacn n

```


<210> 472
 <211> 21
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: siNA sense region

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 5'-3 attached terminal deoxyabasic moiety

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (7)..(8)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (11)..(11)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (13)..(13)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (16)..(17)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (19)..(19)
 <223> 2'-deoxy-2'-fluoro

 <220>
 <221> misc_feature
 <222> (20)..(21)
 <223> n stands for thymidine

 <220>
 <221> misc_feature
 <222> (21)..(21)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 472
ugucuaucag cgcagcuacn n

21

<210> 473
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (3)..(4)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (12)..(13)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature

```

<222> (5)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal glyceryl moiety

<220>
<221> misc_feature
<222> (20)..(21)
<223> n stands for thymidine

<400> 473
guagcugcgc ugauagacan n

```

21